

Message

From: Nonresponsive based on revised scope
Sent: 9/25/2018 5:42:54 PM
To: McCauley, Joanna [McCauley.Joanna@epa.gov]
CC: Wagner, Christine [Wagner.Christine@epa.gov]; Williams, Jacqueline [williams.jacqueline@epa.gov]
Subject: 3-S467 Shiloh Church Road Site 1900-55's 9/4/18 thru 9/7/18
Attachments: ATT00001.txt; 3-S467 Shiloh Church Road Site 1900-55 dated 9_5_18.pdf; 3-S467 Shiloh Church Road Site 1900-55 dated 9_6_18.pdf; 3-S467 Shiloh Church Road Site 1900-55 dated 9_7_18.pdf; 3-S467 Shiloh Church Road Site 1900-55 dated 9_4_18.pdf


Hello Joanna, please see the attached 1900-55's for Shiloh Church Road Site 1900-55's 9/4/18 thru 9/7/18.

I will be sending another email with two more 1900-55's for this site as well.

We appreciate it

Thank you

Nonresponsive based on revised scope



From: McCauley, Joanna <McCauley.Joanna@epa.gov>
Sent: Wednesday, September 19, 2018 12:37 PM
To: Nonresponsive based on revised scope
Cc: Wagner, Christine <Wagner.Christine@epa.gov>; Williams, Jacqueline <williams.jacqueline@epa.gov>
Subject: Shiloh Church Invoice

Nonresponsive based on revised scope

I was reviewing the invoice yesterday and I still see a few outstanding issues. Can you please address.

On 7/20:

Ex. 4 CBI

Chris/Jackie,

Ex. 4 CBI/Ex. 5 - DPP

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.